

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) Occlusive device for medical or surgical use, comprising a hollow cylindrical element (1) that can be twisted according to its axis to create a striction zone,  
~~Characterised in that,~~  
~~It comprises~~ comprising a transverse compression deformable body (2) applied to the inner wall of the cylindrical element (1), and comprising a through hole (3) according to axis (4) of the cylindrical element (1).
2. (currently amended) Device according to claim 1,  
~~Characterised in that,~~  
The wherein the deformable body (2) is attached to the inner wall of the cylindrical element (1),
3. (currently amended) Device according to ~~any of claims 1 to 2~~ claim 1,  
~~Characterised in that,~~  
The wherein the deformable body (2) is made from a polymer material,
4. (currently amended) Device according to ~~any of claims 1 to 3~~ claim 1,  
~~Characterised in that,~~  
There ~~are~~ comprising two end parts, surrounding the cylindrical element (1) and whose angular position determines the torsion of said cylindrical element (1).
5. (currently amended) Device according to ~~any of claims 1 to 4~~ claim 1,  
~~Characterised in that,~~

The wherein cylindrical element (1) and the deformable body (2) both have circular cross sections.

6. (currently amended) Vascular occlusion device,  
~~Characterised in that,~~

~~It comprises an~~ comprising the occlusive device according to ~~any of claims 1 to 5~~ claim 1.

7. (currently amended) Device according to claim 6,  
~~Characterised in that it possesses,~~

~~Two~~ comprising two end parts, surrounding the cylindrical element (1) and whose relative angular position determines the torsion of said cylindrical element (1), said end parts possessing means of attachment to the wall of a vessel.

8. (currently amended) Device according to claim 7,  
~~Characterised in that,~~

The wherein the attachment means are expanding elements (5 and 6) .

9. (currently amended) Device according to claim 8,  
~~Characterised in that,~~

~~It comprises~~ comprising a seal (11) on the outer surface of at least one of the expanding elements (5 and 6), said seal (11) being appropriate for application to the wall of a vessel.

10. (currently amended) Device according to ~~either of~~  
~~claims 8 or 9~~ claim 8,  
~~Characterised in that,~~

~~It presents~~ comprising a peripheral obturation web (12) extending from one end of the deformable (2) body (14) and the edge (13) of the expanding element (5, 6) .

11. (currently amended) Device according to ~~any of claims~~  
~~6 to 10~~ claim 6,  
~~Characterised in that,~~

~~It comprises~~ comprising a removable guide (7) positioned according to the axis (4) of the cylindrical element (1) and crossing the hole (3) in the deformable body (2) .

12. (currently amended) Device according to claim 11,

~~Characterised in that,~~  
~~It possesses~~ comprising a removable sheath (8) inserted between the wall of the hole (3) in the deformable body (2) and the outer wall of the guide (7),

13. (currently amended) Device according to ~~any of claims 6 to 12~~ claim 6,

~~Characterised in that,~~  
~~It comprises~~ comprising a removable sleeve (9) surrounding the occlusive device.

14. (currently amended) Valve (15) for surgical or medical instrument, comprising a closeable passage the valve comprising,

~~Characterised in that,~~  
~~It comprises~~ an occlusive device according to ~~any of claims 1 to 5~~ claim 1.

15. (currently amended) Valve (15) according to claim 14,  
~~Characterised in that,~~

~~The~~ wherein cylindrical element (1) can be twisted by means of two rings (16 and 17), each of which is integral to one end of the cylindrical element (1).